



EDG

ENERGIE DIESEL GENERATOR



MODEL: VPPVG-D-6000M-220V-CAP

Diesel Powered Specification

11.6HP – 8.5kW Energie Engine
6 KVA Portable Generator

TECHNICAL DATA SHEET

FOR USE IN NON-REGULATED TERRITORIES ASIA MIDDLE EAST AND AFRICA

TECHNICAL INFORMATION

MODEL

VPPVG-D-6000M-220-CAP-SF

Manual Recoil Start with Steel Frame

APPLICATIONS

Industrial

Light to Medium Workshop Use: Small welding machines (inverter welders up to 120A). Portable grinders, drills, saws and other handheld power tools. Air compressors up to 2-3 hp. Small bench lathes, milling machines or drill presses.

Site and Backup Power: Lighting systems for workshops, yards or small construction sites. Power for control panels, PLC's or small automation systems. UPS/ battery charging systems.

Emergency / Standby: Backup for small offices, warehouses and security systems (CCTV, access control)

Agricultural

Water Management: Driving small irrigation pumps (typically up to 3-4 kW motors). Borehole pumps (single phase 2-3 hp).

Farm Operations: Poultry houses, fans, lighting or small feed mixers. Dairy farms, small milking machines and refrigeration for milk tanks. Crop farms, sprayers, chemical mixing pumps, lighting for tunnels/greenhouses.

Backup Power: Backup for farmhouses, offices and security (electric fencing, CCTV, alarms).

APPLICATIONS:

Industrial

Agricultural

energie
power products
DIESEL ENGINE

MD

MEDIUM DUTY

TECHNICAL INFORMATION

Engine

Make	Energie
Model	VPHLD475
Power	11.6HP – 8.5kW / 3600 RPM
Type	Single-cylinder Four Stroke Air cooled
Displacement	475cc / 0.475l
Fuel Type	Diesel
Starter	Recoil Start/Electric Start
Consumption	258 g/kWh 2.58 l/h
Noise	90dB at 7m
Fuel Tank Size	5.5l
Oil Tank Size	1.65l

Alternator

Make	NSM
Model	K100G
Rated RPM	3000 rpm
Rated Power	6KVA
Insulation Class	Class “H”
Regulation	Capacitor
Rated Voltage	220V
Frequency	50 Hz
Protection	IP23
Max Efficiency	76%

Special Features

	Portable, Fuel Efficient and a Steel open frame.

Fuels and Lubricants (Recommended)

Gasoline	50ppm or better
Oils	15W/40

Consumables (Service Parts)

Engine Air Filter	-
Engine Oil Filter	-
Engine Fuel Filter	-

Dimensions and Weights

Length	815mm
Width	498mm
Height	548mm
Dry and Wet Weight	67 kg / 74.15 kg

Policies

Warranty	1 Year Limited Warranty

PRODUCT VIEWS

SIDE VIEW



BACK VIEW



SIDE VIEW



FRONT VIEW



ASSEMBLED & DISTRIBUTED BY:



Vert Energy Africa (Pty) Ltd
28A Cnr. Avalon & Private Roads,
Westlake View Ext 12, Modderfontein,
Johannesburg, Gauteng, South Africa

General Enquiries

+27 (0)11 453 9669

info@vertgroup.co.za

www.vertgroup.co.za

DEALER DETAILS
